





Other alternative products

OMEGA AIR Alternative filter housing

Suitable for **DONALDSON / DOMNICK HUNTER**





DONALDSON ALTERNATIVE FILTER HOUSING

Filter housing model	Pipe size	Flow rate Nm ³ /h	Dimensions				Mass kg	Filter element type
	inch		A [mm]	B [mm]	C [mm]	D [mm]		
FD 0002	1/4"	20	196	80	21	60	0,439	02/05
FD 0004	3/8"	40	196	80	21	60	0,436	03/05
FD 0006	3/8"	60	196	80	21	60	0,436	03/10
FD 0009	1/2"	90	266	80	21	80	0,760	04/10
FD 0012	1/2"	120	263	117	33	100	1,182	04/20
FD 0018	3/4"	180	363	117	33	120	1,575	05/20
FD 0027	1"	270	363	117	33	140	1,558	05/25
FD 0036	1 1/4"	360	363	117	33	160	1,573	07/25
FD 0048	1 1/2"	480	525	140	50	320	3,017	07/30
FD 0072	2"	720	525	140	50	320	2,862	10/30
FD 0108	2"	1080	700	140	50	520	5,329	15/30
FD 0144	2 1/2"	1440	811	217	69	630	13,144	20/30
FD 0192	3"	1920	811	217	69	630	12,794	30/30
FD 0288	3"	2880	1000	217	69	750	15,756	30/50

DOMNICK HUNTER ALTERNATIVE FILTER HOUSING

Filter housing model	Pipe size	Flow rate Nm ³ /h	Dimensions				Mass kg	Filter element type
	inch		A [mm]	B [mm]	C [mm]	D [mm]		
FDH 009	1/4"	32	196	80	21	60	0,547	009
FDH 017	3/8"	61	266	80	21	60	0,545	017
FDH 030	1/2"	108	266	80	21	60	0,760	030
FDH 058	3/4"	216	363	117	33	120	2,245	058
FDH 080	1"	288	461	117	33	260	1,880	145
FDH 120	1 1/4"	432	461	117	33	260	1,895	145
FDH 145	1 1/2"	522	461	117	33	260	2,504	145
FDH 205	1 1/2"	720	525	140	50	320	3,028	220
FDH 220	2"	792	525	140	50	320	2,876	220
FDH 330	2"	1188	950	140	50	520	7,224	330
FDH 400	1 1/2"	1440	811	217	69	630	13,501	430
FDH 430	3"	1548	811	217	69	630	13,060	430
FDH 620	3"	2232	1000	217	69	750	9,797	620

CORRECTION FACTORS															
Operating pressure [bar]	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Correction factor	0,38	0,52	0,63	0,75	0,88	1,00	1,13	1,26	1,38	1,52	1,65	1,76	1,87	2,00	2,14